


POLEAS DE ALUMINIO




POLEAS INDUSTRIALES
MATERIALES: ALUMINIO O HIERRO

POLEAS DE ALUMINIO



SECCION	W	D	X	S	E
A	12.70	13.00	3.17	15.80	9.50
B	16.50	15.00	4.45	19.05	12.70
C	22.22	20.00	5.08	25.40	17.46
D	32.00	27.00	7.62	36.51	22.22
E	38.00	33.00	10.16	44.45	28.57
SPZ	9.80	11.00	2.00	12.00	8.00
SPA	12.80	14.00	2.80	15.00	10.00
SPB	16.30	18.00	3.50	19.00	12.50
SPC	22.20	24.00	4.08	25.50	17.00
3V	8.89	8.89	0.64	10.32	8.80
5V	15.24	15.24	1.24	17.26	12.70
8V	25.40	25.40	2.54	28.57	19.05

POLEAS DE ALUMINIO



DIAMETRO EXTERIOR EN MM	1 CANAL T (MM)	2 CANALES T (MM)	3 CANALES T (MM)	4 CANALES T (MM)	5 CANALES T (MM)	6 CANALES T (MM)
50	35	36	38			
60	39	39	42			
70	43	43	46	53		
80	45	46	48	56		
90	45	46	52	62	68	
100	48	48	54	66	69	68
110	50	51	58	67	75	70
120	51	52	60	68	71	72
130	54	54	63	70	81	74
140	54	56	64	72	79	74
150	54	58	62	73	80	76
160	56	60	62	74	82	76
170	59	62	64	74	83	76
180	61	64	66	74	79	78
190	62	64	68	74	84	78
200	64	66	70	75	82	80
210	64	66	70	75	86	80
220	64	66	72	77	85	82
230	66	66	74	79	88	84
240	68	69	76	81	87	86
250	70	71	78	83	86	88
260	72	73	80	85	90	90
270	74	75	83	87		92
280	75	77	86	89	90	94
290	76	78	88	91		96
300	77	79	90	93	99	96
310	78	86	91	93	102	97
320	80	86	92	93	102	97
330	81	88	93	94	105	98
340	83	88	94	95	105	99
350	85	90	95	96		100
360	86	91	95	96	112	100
370	87	92	96	97		101
380	88	93	96	97	115	102
390	89	94	97	98		103
400	90	95	98	99	105	104
450	95	100	102	104	112	109
500	100	105	107	109	108	114
550	103	107	110	112	107	116
600	105	110	114	116	111	120